

	PRODUCT		USAGE	DESCR	IPTION
ACRYLIC		Oxibond 4001	Facades & light pedestrian horizontal surfaces	Clear acrylic waterproofer	اكريليك شفاف مانع للنش
		Oxibond 4002	Facades & light pedestrian horizontal surfaces	White acrylic waterproofer	اكريليك أبيض مانع للنش
		Oxibond 4005	When a protective top coat film over decorative finishes is required Available in flat, satin and gloss finishes	100% acrylic, clear, anti- carbonation protective finish	فرنيش للحماية مكافح للكربنة
		Oxibond 4008	Roofs Under-tiles Food plants Potable water tanks	Food grade, one-pack, acrylic, high-build membrane	اكريليك عالي اللزوجة مانع للنش يصلح لخزانات المياه و أحواض الزرع

	PRODUCT	USAGE	DESCRIPTION	
SILOXANE	Oxibond 4006	For rough & smooth stonework, brickwork, porous and semi-porous surfaces	Clear, solvent based polysiloxane	حماية للحجر الصخري من دون طبقة - نفطي
	Oxibond 4007	For rough & smooth stonework, brickwork, porous and semi-porous surfaces	Clear, water based polysiloxane	حماية للحجر الصخري من دون طبقة - مائي

	PRODUCT	USAGE	DESCR	PTION	
CEMENTITIOUS	Oxibond 4004	Mixing with cement plaster & powder putty	Plastic cement additive	رزين مقوي للإسمنت	
	Cement Slurry	Waterproofing light pedestrian horizontal concrete surfaces	Economical cement slurry for under-tiles, tanks and exposed areas	مانع لتسرب المياه إقتصادي ممتاز تحت البلاط أو الرخام	

	PRODUCT		USAGE	DESCE	RIPTION	
BITUMEN		Oxibond 4015	For roof works, Over asphalt, concrete, & cement rendering, Waterproofing of block works	Waterborne emulsified bitumen	زفت مائي	
		Oxibond 4020	For roof works, Over asphalt, concrete, & cement rendering, Waterproofing of block works	Solvent based bitumen	زفت نفطي	

للنش

للنش

الشفة

الخارجي

للسيارات

	PRODUCT		USAGE	DESCRIPTION	
ASSOCIATED PRODUCTS		Oxibond 4750 Oxiond 4800 SX0 PrimeWell SX9 Humiguard	Sealing concrete and providing added grip to subsequent surfaces. SX9 HumiGuard also acts as a humidity barrier	Epoxy primers	أساس إبوكسي شفاف
		Oxibond 4100	For caulking and movement-joints sealing	Polyurethane elastomeric filler	معجون بوليورثان مانع للنش
		Oxibond 4950 Oxibond 4980	Reinforcing of joint and angled sections with Oxibond® 4250, Oxibond® 4500 & Oxibond® 4008, etc.	Polyester, non-woven geotextile	نسیج مقوی یستعمل مع ۴۲۵۰، ۴۵۰۰، ۵۰۰۶

